

Subject index

A

accessory component, 10
antigen-presenting cell, 21
apical sorting, 31
Arf1p, 38

C

calreticulin, 20
cargo recruitment, 40
chaperone, 16–23, 71
chloroplast, 47–57
 envelope, 49–51
 import, 57
coat nucleation, 39
coat promoter (COP)
 I, 30, 37, 38, 40
 I-coated vesicle formation, 38
 II, 30, 37–40
 II-coated vesicle formation, 39
co-chaperone, 71
constitutive transport element (CTE),
 121–123
cpSec pathway, 53
cpSRP54, 55

D

dislocation, 10

E

endoplasmic reticulum (ER), 1–11, 15, 79
 chaperone (see *also* chaperone), 16–23
 translocon, 7–10
endosymbiosis, 56
energetics, 100
energy requirement, 68
export of intronless viral RNA, 123–124
export receptor, 97
exportin, 80

G

gating of the endoplasmic reticulum trans-
 location channel, 9
general insertion pore (GIP),
 66
glucocorticoid receptor (GR),
 106
glycan, 27, 28
glycosylation, 27–34
Golgi complex, 28
GRP94 (see *also* endoplasmic reticulum
 chaperone), 19
GTP binding, 6
GTPase Ran, 93

H

herpes simplex virus (HSV), 117
Hsp70, 68
human immunodeficiency virus (HIV), 118

I

importin, 80, 96

K

karyopherin, 80, 93–96

L

lectin, 28
ligand-regulated, 22

M

major histocompatibility complex class-I
 molecules, 15
matrix-processing peptidase, 64
membrane insertion, 6
 proteins, 77
 -potential, 68
mitochondria, 61–71

- mitochondrial
 intermediate peptidase, 70
 matrix, 69
 targeting signals, 62
 transport machinery, 65–68
- mRNA, 101
- N**
- N-glycosylation (see *also* glycosylation), 30–32
- nuclear
 envelope, 75, 89
 export, 83
 import, 83, 109
 lamina, 79
 membrane, 76
 transport, 108, 110
- nuclear export sequence (NES), 90, 106–108, 119–121
- nuclear localization sequence (NLS), 90–92, 106–108
- nuclear pore complex (NPC), 75–85, 89, 106
- nucleocytoplasmic transport, 79
- nucleoporin (NUP), 77–79, 101
- nucleoskeleton, 76
- O**
- O-glycosylation (see *also* glycosylation), 32
- P**
- peptide binding, 17
- Δ pH pathway, 53
- phosphorylation, 108–110
- preproteins, 70
- presequence, 62
- protein import, 47, 56
- proteoglycan, 32
- R**
- Ran
 guanine nucleotide-exchange factor, 81, 96, 97
 -GTPase-activating protein (RanGAP), 81, 96–100
- regulation of nuclear transport by proteolysis, 110–112
- Rev, 117–121
- Rev-independent facilitated RNA export, 121–123
- Rev-responsive element (RRE), 118
- ribonucleoprotein (RNP), 75, 115
- ribosome, 5
- RNA export, 115–124
- rRNA, 101
- S**
- Sar1p, 38
- Sec61 complex, 7
- shuttling, 100
- signal recognition particle (SRP)
 54kDa polypeptide of, 4–6
 receptor, 5, 6
 -dependent endoplasmic reticulum targeting, 5
 -independent endoplasmic reticulum targeting, 6
- signal sequence, 2, 62
- SNARE (soluble NSF attachment protein receptor), 41–43
- sterol regulatory-element-binding protein (SREBP), 110–112
- T**
- thylakoid membrane, 53–55
- Tic (translocon at the inner-envelope membrane of chloroplast; see *also* chloroplast envelope), 50
- Tim (translocase in the inner mitochondrial membrane; see *also* mitochondrial transport machinery), 65
- Toc (translocon at the outer-envelope membrane of chloroplast; see *also* chloroplast envelope), 50
- Tom (translocase in the outer mitochondrial membrane; see *also* mitochondrial transport machinery), 65, 67
- topology, 7
- TRAM protein, 8

transcription, 105
trans-Golgi network, 33
translation, 105
transit sequence, 49
translocation, 67
transmembrane domain, 2
transport receptors, 95
transporter associated with antigen presentation (TAP), 18
transportin, 80
transport to the cell surface, 28
tumour-rejection antigens, 19

V

viral RNA, 93, 117
virtual gate, 82

X

Xenopus oocytes, 115, 121

Y

yeast, 61